

718208350

| CALIBRATION CARD<br>ALTIMETER |                              |                        |                              |
|-------------------------------|------------------------------|------------------------|------------------------------|
| P/N: 5934PAD-3D               |                              | C/N: A1657             | S/N: 442603                  |
| Standard Alt (Ft)             | Alt Reading (Ft) @ Room Temp | Standard Alt (Ft)      | Alt Reading (Ft) @ Room Temp |
| -1,000                        | 0                            | 14,000                 | -40                          |
| 0                             | 0                            | 16,000                 | -40                          |
| 500                           | +10                          | 18,000                 | -30                          |
| 1,000                         | 0                            | 20,000                 | -20                          |
| 1,500                         | +10                          | 22,000                 | -15                          |
| 2,000                         | +5                           | 25,000                 | +15                          |
| 3,000                         | +5                           | 30,000                 | +10                          |
| 4,000                         | -10                          | 35,000                 | +15                          |
| 6,000                         | -20                          | 40,000                 |                              |
| 8,000                         | -35                          | 45,000                 |                              |
| 10,000                        | -40                          | 50,000                 |                              |
| 12,000                        | -45                          |                        |                              |
| Date: 10-20-04                |                              | Tested By: [Signature] | Inspected By: [Signature]    |

This record should be Federal Aviation Reging government regu  
Note: Record Service this record as we Maintenance Record

FORM QA-45 (B)

UNITED INSTRUMENTS, INC.

Copyright © 1988

MAINTENANCE RECORD

| DATE  | TOTAL TIME IN SERVICE |       | DESCRIPTION OF THE WORK PERFORMED   | AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER |
|-------|-----------------------|-------|---|---|
|       | HOURS                 | 10THS |   |   |
| 9/04  |                       |       | ELT Battery date expires Oct 2006 Key # 285   |   |
| 12/15 | 3                     | 9     | Airworthiness Directives comply through 2004-25   |   |
| 12/15 | 3                     | 9     | Aircraft Airworthy. Total Time in Service: 3.9<br>Total tach time: 3.9 Hobbs time: 11.0   |   |
| 12/15 | 3                     | 9     | The G1000 System Software installed in this aircraft is Cessna publication number 7182765000-01.  |   |
| 12/15 | 3                     | 9     | This aircraft has been inspected and found in compliance with the requirements of FAR 21.183 and all mandatory changes. The Transponder S/N 84700609 was inspected and tested on 11/27/04 and is in compliance with the FAR 91.413. The Static Pressure System was inspected and tested on 11/27/04. The ADC and Altimeter(s) have been inspected and tested and are in compliance with FAR 91.217 and 91.411 to an altitude of 35000 feet. ADC 47801196 Date 11/27/04 Altimeter(s) 442603 Date 10/08/04 R 5112<br>Date 01/6 ELT Certified and tested per FAR 91.207D. Standard Certificate of Airworthiness dated 12/15/04 has been issued by the undersigned. | [Signature]                                     |
|       |                       |       |   | ODARF100129CE                                   |

**MAINTENANCE RECORD**

| DATE | TOTAL TIME IN SERVICE |       | DESCRIPTION OF THE WORK PERFORMED | AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER |
|------|-----------------------|-------|-----------------------------------|---|
|      | HOURS                 | 10THS |                                   |   |

Reg #: N65290  
 Model: Cessna T182T  
 Serial #: T18208350  
 Work Order #: 18922



Hobbs:  
 Tach: 25.9  
 Total Time:  
 Date: 1/11/05

Serviced tires to prescribed pressures. For further details see WO# 18922 on file this station.

*[Signature]*  
 For: Air Care, Inc.  
 FAA Repair Station  
 AC0R030C

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |

Reg #: N65920  
 Model: Cessna T182T  
 Serial #: T18208350  
 Work Order #: 19004



Hobbs:  
 Tach: 43.2  
 Total Time:  
 Date: 2/21/05

SIGNATURE,  
 FE TYPE  
 BER

C/W SB 05-24-01 by visual inspection. Proper circuit breakers installed. No further action required. For further details see WO# 19004 on file this station.

*[Signature]*  
 For: Air Care, Inc.  
 FAA Repair Station  
 AC0R030C

Reg #: N65920  
 Model: Cessna T182T  
 Serial #: T18208350  
 Work Order #: 19013





Hobbs: 55.1  
 Tach: 43.2  
 Total Time:  
 Date: 2/24/05

Tightened schrader valve assembly and schrader valve. Serviced strut to proper inflation with nitrogen. For further details see WO# 19013 on file this station.





*[Signature]*  
 For: Air Care, Inc.  
 FAA Repair Station  
 AC0R030C

| DATE | T<br>  <br>HC | TOTAL TIME IN SERVICE |       | DESCRIPTION OF THE WORK PERFORMED | AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER |
|------|---------------|-----------------------|-------|-----------------------------------|---|
|      |               | HOURS                 | 10THS |                                   |   |
|      |               |                       |       |                                   |   |
|      |               |                       |       |                                   |   |
|      |               |                       |       |                                   |   |
|      |               |                       |       |                                   |   |



**MAINTENANCE RECORD**

|   |                 |  |   |  |                          |
|---|-----------------|--|---|--|--------------------------|
| DATE  | TC<br>IN<br>HOI | Reg #: N65920<br>Model: Cessna T182T<br>Serial #: T18208350<br>Work Order #: 19430 |  | Hobbs:<br>Tach: 129.3<br>Total Time: 129.3<br>Date: 12/13/05 | SIGNATURE,<br>TYPE<br>ER |
| Performed annual inspection using an Air Care 182 Inspection checklist as a guide. Performed annual inspection of ELT i/a/w FAR 91.207(d). No defects noted. Batt due date: 10/2006. Performed annual inspection of fire extinguisher. C/W AD 2002-26-01 by visual inspection and no defects noted. Due next at T: 229.3 or 12/06. c/W SB 05-34-11 by replacing GIA-63 covers. C/W SB 05-34-10 by visual inspection and installing tubing. C/W SB 04-25-02 by installing rods. C/W SB 05-57-01 by visual inspection of wing trailing edge. C/W SB 05-53-02 by visual inspection. SB 04-53-02 found to be p/c/w. AD 2005-05-53R1 is N/A by acft s/n. AD 2005-13-10 was p/c/w by SB 05-24-01 (2/21/05 at Tach: 43.2). Installed STC# SA01834CH HID lights. Installed as per STC instructions. Replaced pilots side RH bearing block, installed p/n S1675-1 block. Replaced LH and RH fuel qty. transmitters. Installed LH p/n S3832-3 s/n 803 and RH p/n S3852-4 s/n 1177. Calibrated system as per Cessna m/m. Ground ran acft. System ops checked normal and no leaks noted at this time. For further details see WO# 19430 on file this station. I certify that this aircraft has been inspected i/a/w an annual inspection and is approved for return to service. |                 |  |   |  |                          |
| <br>For: Air Care, Inc.<br>FAA Repair Station<br>AC0R030C  |                 |  |   |  |                          |



**MAINTENANCE RECORD**

|  |  |  |   |   |  |
|--|--|--|---|---|--|
| DATE   |  | Reg #: N65920<br>Model: Cessna T182T<br>Serial #: T18208350<br>Work Order #: 19677 |  | Hobbs:<br>Tach: 160.6<br>Total Time:<br>Date: 5/16/06 | ED SIGNATURE,<br>FICATE TYPE<br>NUMBER |
| C/W SB 05-22-01 trim servo cable chain inspection. No defects noted. For further details see WO# 19677 on file this station.   |  |  |   |   |  |
| <br>For: Air Care, Inc.<br>FAA Repair Station<br>AC0R030C   |  |  |   |   |  |
| Reg #: N65920<br>Model: Cessna T182T<br>Serial #: T18208350<br>Work Order #: 20477   |  |  |   |   |  |
|   |  |  |   |   |  |
| Hobbs: 294.8<br>Tach: 257.7<br>Total Time:<br>Date: 8/30/07  |  |  |   |   |  |
| C/W SB 07-77-01 tach sending unit replacement by installing kit p/n MK206-77-01. AD 2007-05-10 crew seat recline p/c/w as SB 04-25-01R4 5/24/07 @ TT: 239.9. AD 2007-08-03 fuel hose inspection N/A by acft s/n. Ground ran acft. Tach ops check normal. For further details see WO# 20477 on file this station. |  |  |   |   |  |
| <br>For: Air Care, Inc.<br>FAA Repair Station<br>AC0R030C   |  |  |   |   |  |

**MAINTENANCE RECORD**

|   |                 |  |   |  |                      |
|---|-----------------|--|---|--|----------------------|
| DATE  | TC<br>IN<br>HOL | Reg #: N65920<br>Model: Cessna T182T<br>Serial #: T18208350<br>Work Order #: 20012 |  | Hobbs: 242.5<br>Tach: 210.4<br>Total Time: 210.4<br>Date: 12/14/06 | NATURE,<br>TYPE<br>3 |
| Performed annual inspection using Air Care Inc Cessna T182T Annual Inspection Checklist as a guide. Performed annual inspection of ELT i/a/w FAR 91.207(d). No corrosion or defects noted. Replaced ELT battery p/n 2020RevA. Expiration date: 11/08. ELT ops check normal. Performed annual inspection of fire extinguisher. No defects noted. AD 2004-15-18 KAP-140 autopilot N/A by acft s/n. AD 2005-05-53 flight controls inspection N/A by acft s/n. AD 2005-13-10 circuit breaker inspection p/c/w as SB 05-24-01 2/21/05 at Tach: 43.2. AD 2006-17-04 fuel injection servo N/A by acft s/n. C/W SB 05-22-01 trim servo chain insp. No defects noted. C/W SB 06-24-01 ground strap inspection by replacing straps p/n 0412007-18, 0412007-15 and 0412007-08. C/W SB 06-71-02 engine fuel hose insp. No defects noted. Serviced oxygen system. Replaced taxi light power supply p/n RMD-2281-08. C/W SB 06-32-01 brake master cylinder inspection. NO defects noted. SB 06-34-02R G1000 software upgrade N/A by previous compliance with SB 06-34-02 5/16/06 at Tach: 160.6. Ground ran acft. Systems ops check normal and no leaks noted at this time. For further details see WO# 20012 on file this station. I certify that this acft has been inspected i/a/w an annual inspection and is approved for return to service. |                 |  |   |  |                      |
| <br>For: Air Care, Inc.<br>FAA Repair Station<br>AC0R030C  |                 |  |   |  |                      |

**MAINTENANCE RECORD**

| DATE | TOTAL TIME IN SERVICE |       | DESCRIPTION OF THE WORK PERFORMED   | AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER |
|------|-----------------------|-------|---|---|
|      | HOURS                 | 10THS |   |   |
|      |                       |       | Reg #: N65920<br>Model: Cessna T182T<br>Serial #: T18208350<br>Work Order #: 20320  |   |
|      |                       |       |    |   |
|      |                       |       | C/W AD 2007-08-03 fuel line torque N/A by s/n. C/W AD 2007-05-10 crew seat cylinder lock by performing SB 04-25-01R1 on this date. Installed kit p/n MK172-25-10C1. CW SB 06-32-01 brake master cylinder torque insp and no defects noted. C/W SB 06-24-04 circuit breaker insp and found N/A by date codes. C/W SB 06-24-05 circuit breaker panel insp and no defects noted. C/W SB 07-79-01 engine oil switch and no defects noted. Replacement due at AFTT: 3000.0. C/W SB 07-25-03 arrival and departure alert by installing alert in Garmin Cockpit Guide. C/W SB 07-27-01 trim tab actuator and found to be N/A by s/n. No replacement logged. C/W SB 07-71-01 engine compartment fuel hose insp and found to be N/A by s/n. C/W SB 07-25-04 seat base mod by installing kit p/n MK206-25-10-1. For further details see WO# 20320 on file this station. |   |
|      |                       |       | <br>For: Air Care, Inc.<br>FAA Repair Station<br>AC0R030C  |   |

DATE T  
I  
HC

Reg #: N65920  
Model: Cessna T182T  
Serial #: T18208350  
Work Order #: 20477



Hobbs: 294.8  
Tach: 257.7  
Total Time:  
Date: 8/30/07

SIGNATURE,  
TE TYPE  
IBER

C/W SB 07-77-01 tach sending unit replacement by installing kit p/n MK206-77-01. AD 2007-05-10 crew seat recline p/c/w as SB 04-25-01R4 5/24/07 @ TT: 239.9. AD 2007-08-03 fuel hose inspection N/A by acft s/n. Ground ran acft. Tach ops check normal. For further details see WO# 20477 on file this station.

*Timothy J. Roberts*  
For: Air Care, Inc.  
FAA Repair Station  
AC0R030C

Reg #: N65920  
Model: Cessna T182T  
Serial #: T18208350  
Work Order #: A9602



Hobbs:  
Tach: 257.7  
Total Time:  
Date: 8/30/07



C/W Cessna SB 07-34-02R1 and ops check normal. For further details see WO# A9602 on file this station.

*Timothy J. Roberts*  
For: Air Care, Inc.  
FAA Repair Station  
AC0R030C



**MAINTENANCE RECORD**

| DATE | TOTAL TIME IN SERVICE |       | DESCRIPTION OF THE WORK PERFORMED  | AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER |
|------|-----------------------|-------|--|---|
|      | HOURS                 | 10THS |  |   |
|      |                       |       | <p>Reg #: N65920<br/>Model: Cessna T182T<br/>Serial #: T18208350<br/>Work Order #: 20590</p> <p>Hobbs: 308.5<br/>Tach: 269.7<br/>Total Time: 269.7<br/>Date: 11/2/07</p> <p>Performed annual inspection using Air Care Inc. Cessna T182T Annual Inspection Checklist as a guide. Performed annual inspection of ELT i/a/w FAR 91.207(d). No corrosion or defects noted. Battery expires: 12/08. ELT ops check normal. Performed annual inspection of fire extinguisher. No defects noted. SB 07-11-02 N/A by acft s/n. SB 07-71-03 N/A by acft s/n and no cylinder replacement. SB 07-71-02 N/A by acft s/n. Serviced oxygen. Replaced Landing light lamp p/n 81010-1. Replaced beacon light lamp p/n 34-0041987-02. Replaced LH and RH fuel quantity transmitters. Installed new transmitters LH p/n S3852-3 s/n 1583, RH p/n S3852-4 s/n 2329 using new gaskets. Calibrated per M/M Chapter 28. Replaced acft battery. Installed new battery p/n G-243 s/n G02319518. Replaced standby battery. Installed new battery p/n AVT200413. Ground ran acft. Systems ops check normal and no leaks noted at this time. For further details see WO# 20590 on file this station. I certify that this acft has been inspected i/a/w an annual inspection and is approved for return to service.</p> <p><i>Timothy J. Roberts</i><br/>For: Air Care, Inc.<br/>FAA Repair Station<br/>AC0R030C</p> |   |

**MAINTENANCE RECORD**

|  |  |   |  |                          |
|--|--|---|--|--------------------------|
| DATE   | Reg #: N65920<br>Model: Cessna T182T<br>Serial #: T18208350<br>Work Order #: 20928 |  | Hobbs: 343.2<br>Tach: 300.4<br>Total Time:<br>Date: 6/9/08 | SIGNATURE,<br>TYPE<br>ER |
| SB08-34-02 N/A by aircraft S/N and no valve replacement. SB08-73-01 N/A by no servo overhaul, repair or replacement since 8/22/06. SB07-71-04 N/A by no cylinder replacement. SB07-34-06 N/A by unit S/N. SB07-25-05 N/A by aircraft S/N and no AAIR system installed. AD2008-02-18 N/A, aircraft not equipped w/ BRS parachute system. AD2008-05-09 P/C/W as SB07-25-04 5/23/07 at AFTT: 239.9. AD2008-10-02 N/A by no valve replacement. For further details see WO# 20928 on file this station. |  |   |  |                          |
| <br>For: Air Care, Inc.<br>FAA Repair Station<br>AC0R030C  |  |   |  |                          |
|  |  |   |  |                          |
|  |  |   |  |                          |
|  |  |   |  |                          |
|  |  |   |  |                          |

**MAINTENANCE RECORD**

|   |  |   |  |                          |
|---|--|---|--|--------------------------|
| DATE  | Reg #: N65920<br>Model: Cessna T182T<br>Serial: T18208350<br>Work Order #: 21128 |  | Hobbs: 357.8<br>Tach: 313.2<br>Total Time: 313.2<br>Date: 10/27/08 | SIGNATURE,<br>TYPE<br>ER |
| Performed annual inspection using Air Care Inc Cessna T182T annual inspection checklist as a guide. Performed annual inspection of ELT I/A/W FAR 91.207(d). No corrosion or defects noted. ELT ops check normal. Performed annual inspection of fire extinguisher. No defects noted. C/W AD84-26-02 by replacing induction air filter. Due next Tach: 813.2 or on condition. Ground run acft. Systems ops check normal & no leaks noted at this time. For further details see WO# 21128 on file this station. I certify that this aircraft has been inspected I/A/W an annual inspection and is approved for return to service. |  |   |  |                          |
| <br>For: Air Care, Inc.<br>FAA Repair Station<br>AC0R030C   |  |   |  |                          |
|   |  |   |  |                          |
|   |  |   |  |                          |
|   |  |   |  |                          |
|   |  |   |  |                          |

